

PONY




样品
(Sample D

委托
(App

快

有限公司



PONY

1. 报告无效 (The report is invalid.)
2. 系统未经授权 (The system is unauthorized.)
3. 申请人 (The applicant has the right to report.)
4. 该申请 (The application is with the applicant.)
5. 该报告 (The report is not that.)
6. 该申请 (The applicant should not have any.)
7. 该报告 (The report is only responsible for the sample.)
8. 该报告 (The report is only responsible for the sample.)
9. 该报告 (The report is only responsible for the sample.)
10. 该报告 (The report is only responsible for the sample.)

1. 报告 (The report is invalid.)
2. 报告 (The report is invalid.)

全国服务热线: 400-819-1111
PONYTESTS

北京: (010) 83051111
上海: (021) 64851111
深圳: (0755) 28851111
天津: (022) 23651111
苏州: (0512) 26511111



No.IPBWZY

委托编号: G3611

(Application)

委托单位:

(Applicant)

地址:

受测单位:

(Tested Unit)

受测单位:

(Tested Unit)

地址:

样品名称:

(Sample Description)

检测类别:

(Test Type)

到样日期:

(Received Date)

检测日期:

(Test Date)

样品来源:

(Sample Source)

检测方式:

(Test Method)

所用主要仪器:

(Main Instruments)


备注:

(Notes)

(Note)

(Note)

(Note)



© Hotline 400

www.pony

PONY-HB01-819-50

est.com

1603-2021A588

谱尼测试

Testing International Group

检测

检测结果

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Test Results

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher for the 10-trial condition than for the 5-trial condition.

[illegible]

检测结果

(Test Results)

No.IPBWZVRG361135HC

第

附表:

样品编号/采样位置	检测项目	限值	检测结果
G361135HC 仙桃飞灰固化物	二噁英, µgTEQ/kg	3	0.69

——以下空白——