




23171

[illegible][illegible][illegible][illegible]

● 2017 年 12 月 1 日，中国铁路总公司（以下简称“总公司”）发布《铁路互联网售票暂行办法》，自 2017 年 12 月 1 日起施行。

[illegible][illegible]

2007-01-01 14:30:00



说 明

88E080S1Y1SS

1. 本报验单一经检测合格即生效，该报告为MA标志产品，不致发生仿冒产品。

1. 本检测单只对本检测事项或检测项目检测的结果负责。
2. 本检测单中涉及的数据仅供参考，不作为法律证据使用。在本检测单中检测数据。
3. 检测单位对本检测单若有异议，请在收到报告之日起的有效期内以书面形式向本检测单位书面提出，同时附上相关证据及检测费用。
4. 检测单位处理投诉以上事项后，未收到客户使用反馈，如果检测结果与事实严重不符，本检测单位将退还检测费用并处理。
5. 本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单检测事项的检测费用，不进行检测，检测单位不承担法律责任。

本检测单位检测事项
公司全称：XXXXXXXXXXXXXXXXXXXXXXXXXXXX
检测地址：XXXXXXXXXXXXXXXXXXXXXXXXXXXX
联系电话：XXXXXXXXXXXX
检测单位：XXXXXXXXXXXX



- 2、检测仪器按说明书要求,定期,校准合格,并在有效期内使用。
- 3、检测仪器在使用前经检定合格,检测结果符合要求。
- 4、现场检测及样品的采集、保存、运输、储存等过程均按《污水监测技术规范》(HJ 1193-2019)、《水质、样品采集和保存管理规范》(HJ 493-2009)等国家规定的标准、技术规范进行。
- 5、检测过程按照《现场检测人员操作规程》(HJ 663-2013)严格执行。

检测	日期	地点	检测	检测
检测	日期	地点	检测	检测
检测	日期	地点	检测	检测



报告编号: 讯捷检测[2024]XJ1059号

项目	合格	合格	合格
化学需氧量	合格	合格	合格
氨氮	合格	合格	合格
总磷	合格	合格	合格
石油类	合格	合格	合格

附：本報編輯部地址：重慶市中二路新報社

● 2017 年 12 月 1 日起, 凡在 2017 年 12 月 31 日前, 已在本行开立借记卡并绑定本行借记卡快捷支付功能的客户, 均可享受本行借记卡快捷支付免密支付功能。免密支付功能是指客户在支付时, 无需输入支付密码, 即可支付。免密支付功能仅适用于本行借记卡快捷支付功能, 不适用于其他支付方式。免密支付功能的具体使用规则, 请参见本行借记卡快捷支付免密支付功能使用指南。

Abstract The purpose of this study was to determine whether there were differences in the prevalence of risk factors for low back pain between two groups of nurses. One group consisted of nurses who had been employed by their current employer for less than five years and the other group consisted of nurses who had been employed by their current employer for five or more years. A questionnaire was sent to all nurses in each group asking them to complete it if they experienced any of the following symptoms: neck pain, shoulder pain, arm/hand pain, wrist pain, elbow pain, forearm pain, hand pain, thumb pain, index finger pain, middle finger pain, ring finger pain, little finger pain, lower back pain, upper back pain, knee pain, hip pain, ankle pain, foot pain, or toe pain. The results showed that the prevalence of low back pain was significantly higher in the group of nurses who had been employed by their current employer for five or more years compared to the group of nurses who had been employed by their current employer for less than five years.

[illegible]

2000年12月29日



济南健康检测

报告编号: 冠捷检字[2024]X1058 号

附图 1 监测点位示音



采样时间: 2024.10.1 / 日期: 2024.10.1 / 日期: 2024.10.1